

## VERKLARING VAN OVEREENSTEMMING

### 1. Packaging material description: PP

Article number and Name of the contact packaging:

- 68846	soeppot 350ml transparant PP Ø115mm
- 68847	soeppot 500ml transparant PP Ø115mm
- 68848	deksel round container PP container transparant 'spatvrij' Ø115mm
- 69053	1L soepemmer met zwart deksel, zwart hengsel en veiligheidssluiting 131Ø
- 69058	800ml soepemmer met zwart deksel, zwart hengsel en veiligheidssluiting
- 69054	Container rond 95Ø 180ml met transparante deksel en veiligheidssluiting
- 69055	Container rond 95Ø 280ml met transparante deksel en veiligheidssluiting
- 69056	Container rond 95Ø 365ml met transparante deksel en veiligheidssluiting
- 69057	Container rond 118Ø 565ml met zwarte deksel en veiligheidssluiting
- 69040	JAR lid Black- 85Ø zwart

### 2. Intended food contact:

Description of the suitability of packaging for food contact, i.e. suitable for one/several types of food of the following categories :

- All types of food
- Dry food
- Aqueous food
- Fatty food
- Acidic food
- Dairy food

### 3. Conditions of use:

Use for long term storage at or below ambient temperature is possible for all material types.

Long term storage below 5°C until -18°C.

### 4. Possible treatment of material/object

Not applicable.

### 5. Surface/volume ratio

6 dm<sup>2</sup> / kg.

## VERKLARING VAN OVEREENSTEMMING

### 6. Specific Migration Limits (SML)

Contains substances which are limited by a specific migration limit (SML):"

FCM nr.	Cas nr.	Substance	SML
808	0882073-43-0	Bis(4-propylbenzylidene) propel sorbitol	5 mg/kg
779	0182121-12-6	9,9-bis(methoxymethyl)-9H-fluorence	0.05 mg/kg
19	-	N, N-bis(2-hydroxyethyl) alkyl (C8-C18) amine	1.2 mg/kg
20	-	N, N-bis(2-hydroxyethyl) alkyl (C8-C18) amine hydrochlorides	1.2 mg/kg
661	0027676-62-6	1,3,5-Tris(3,5-di-tert-butyl-4-hydrxybenzyl)-5-Triazine-2,4,6(1H,3H,5H) triune	5 mg/kg
500	0007128-64-5	2,5-bis(5-tert-butyl-2-benzoxazolyl) thiophene	0.6 mg/kg
	-	Aluminum	1 mg/kg

### 7. Legal compliance

- Regulation (EC) 1935/2004 of the European parliament and of the council of 27/10/2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC
- Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food including amendments.
- Commission regulation (EC) 1895/2005 – BADGE, NOGE, BFDGE are not used for the production of the articles nor in the production of the raw materials
- Harmonized EU legislation is applicable in all member states
- Guideline 94/62/EC on packaging and packaging waste.
- Regulation (EC) No 2023/2006, On good manufacturing practice (GMP) for materials and articles intended to come into contact with food.
- Annex XVII of REACH regulation (EC) No 1907/2006 – restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (not intentionally added)
- The food ingredients listed in Annex II of Regulation (EU) No 1169/2011, are not used in the manufacturing of or formulation of these products. However, this has not been tested for these substances.
- FDA 21 CFR 177.1520 (olefin polymer).
- that the articles that we deliver are safe to use **and do not contain PFAS.**

### 8. Contains dual use additives in accordance to EU Directive 10/2011):

E nr	CAS nr	FCM nr	Substance
470a		9	Calcium salts of fatty acids
471		9	mono- and diglycerides of fatty acids

## VERKLARING VAN OVEREENSTEMMING

### Overall migration

Tested parameter	Test result, mg / article	Test method
Overall migration in food simulant A (Ethanol 10%)	<1	EN 1186-3:2002
Overall migration in food simulant B (Acetic acid 3%)	<1	EN 1186-3:2002
Overall migration in food simulant C (Ethanol 20%)	<1	EN 1186-3:2002
Overall migration in food simulant D1 (Ethanol 50%)	<1	EN 1186-3:2002
Overall migration in food simulant D2 (Vegetable oil)	< 3	EN 1186-2:2002
Overall migration in food simulant E (E <sup>(1)(2)(3)(4)</sup> )	≤10	EN 1186-13:2007 (met. B)

### Specific migration of bisphenol A

Tested parameter	Test result	Test method
Migration of bisphenol A to food simulant B (Acetic acid 3%)	<0.05 mg/kg food simulant	LVS CEN/TS 13130-13:2005


– Overall migration tests were carried out by immersing samples in corresponding food simulants and exposing 10 days at a temperature of +40 °C.

#### Requirements:

- The overall migration limit – 10 mg/dm<sup>2</sup> (Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food)

Ondertekend door Euro Fresh NV

Datum: 01-01-2023



Robbie Wils  
General Manager